

Архангельск (8182)63-90-72
 Астана +7(7172)727-132
 Белгород (4722)40-23-64
 Брянск (4832)59-03-52
 Владивосток (423)249-28-31
 Волгоград (844)278-03-48
 Вологда (8172)26-41-59
 Воронеж (473)204-51-73
 Екатеринбург (343)384-55-89
 Иваново (4932)77-34-06
 Ижевск (3412)26-03-58
 Казань (843)206-01-48

Калининград (4012)72-03-81
 Калуга (4842)92-23-67
 Кемерово (3842)65-04-62
 Киров (8332)68-02-04
 Краснодар (861)203-40-90
 Красноярск (391)204-63-61
 Курск (4712)77-13-04
 Липецк (4742)52-20-81
 Магнитогорск (3519)55-03-13
 Москва (495)268-04-70
 Мурманск (8152)59-64-93
 Набережные Челны (8552)20-53-41

Нижний Новгород (831)429-08-12
 Новокузнецк (3843)20-46-81
 Новосибирск (383)227-86-73
 Орел (4862)44-53-42
 Оренбург (3532)37-68-04
 Пенза (8412)22-31-16
 Пермь (342)205-81-47
 Ростов-на-Дону (863)308-18-15
 Рязань (4912)46-61-64
 Самара (846)206-03-16
 Санкт-Петербург (812)309-46-40
 Саратов (845)249-38-78

Смоленск (4812)29-41-54
 Сочи (862)225-72-31
 Ставрополь (8652)20-65-13
 Тверь (4822)63-31-35
 Томск (3822)98-41-53
 Тула (4872)74-02-29
 Тюмень (3452)66-21-18
 Ульяновск (8422)24-23-59
 Уфа (347)229-48-12
 Челябинск (351)202-03-61
 Череповец (8202)49-02-64
 Ярославль (4852)69-52-93


Единый адрес для всех регионов: crw@nt-rt.ru || www.cowell.nt-rt.ru

CWK50E Series Compact Fuel Dispenser



Standard Components		
Model:	CWK50E111M	CWK50E111
Flow Meter:	MJ-65 Meter	MJ-65 Meter
Pump:	DYB75-DC12B	ZYB-50 Vane Pump
Power:	24VDC or 12VDC	AC380V±20% 50Hz or AC220±20%50±1HZ
Hose:	3/4" 4m	
Automatic Nozzle:	TD-20A	

Model Description



Technical Specification	
Accuracy :	±0.3%
Delivery Rate:	5 ~ 50L/min;
Vacuum :	≥ 0.06 MPa
Register Range :	0.00~999999.99 L
Totalizer Range :	0.00~9999999999.99 L
Pre-setting Range:	1.00~99999L
Rating Power:	0.75KW
Power:	AC380±20% 50/60±1Hz AC220 ±20% 50/60±1Hz
Ex-proof Motor:	AC380±20% 50/60Hz 0.75Kw AC220 ±20% 50/60Hz 0.75Kw
Ambient Humidity:	30%—90%
Temperature:	-40°C~ 60°C

CWK50D & CK15L Series Compact Fuel Dispenser



CK50D Diesel Oil Fuel Dispenser



CK15L Lubricating Oil Fuel Dispenser

Technical Specification		
Model:	CK50D	CK15L
Flow Meter :	50L/min	15L/Min
Accuracy:	±0.5%	
Vacuum:	0.04MPa	
Working Pressure:	0.2 MPa	
Temperature:	-40~55°C	

Standard Components		
Model:	CK50D	CK15L
Flow Meter :	MJ-65 Meter	OGM-A-25-P Oval Gear Meter
Register:	JSQ-5 Mechanical Register	Electronic Computer Totalizer:8digital Sub-total:5digital
Pump:	DYB70-AC220 Electric Transfer Pump	JYB-1 Electric Gear Oil Pump
Power:	AC220±20%50±1HZ	
Hose:	3/4" 4m	
Automatic Nozzle:	TD-20A	
Filter:	GL-4	

По вопросам продаж и поддержки обращайтесь:

Архангельск (8182)63-90-72

Астана +7(7172)727-132

Белгород (4722)40-23-64

Брянск (4832)59-03-52

Владивосток (423)249-28-31

Волгоград (844)278-03-48

Вологда (8172)26-41-59

Воронеж (473)204-51-73

Екатеринбург (343)384-55-89

Иваново (4932)77-34-06

Ижевск (3412)26-03-58

Казань (843)206-01-48

Калининград (4012)72-03-81

Калуга (4842)92-23-67

Кемерово (3842)65-04-62

Киров (8332)68-02-04

Краснодар (861)203-40-90

Красноярск (391)204-63-61

Курск (4712)77-13-04

Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13

Москва (495)268-04-70

Мурманск (8152)59-64-93

Набережные Челны (8552)20-53-41

Нижний Новгород (831)429-08-12

Новокузнецк (3843)20-46-81

Новосибирск (383)227-86-73

Орел (4862)44-53-42

Оренбург (3532)37-68-04

Пенза (8412)22-31-16

Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15

Рязань (4912)46-61-64

Самара (846)206-03-16

Санкт-Петербург (812)309-46-40

Саратов (845)249-38-78

Смоленск (4812)29-41-54

Сочи (862)225-72-31

Ставрополь (8652)20-65-13

Тверь (4822)63-31-35

Томск (3822)98-41-53

Тула (4872)74-02-29

Тюмень (3452)66-21-18

Ульяновск (8422)24-23-59

Уфа (347)229-48-12

Челябинск (351)202-03-61

Череповец (8202)49-02-64

Ярославль (4852)69-52-93

Единый адрес для всех регионов: crw@nt-rt.ru || www.cowell.nt-rt.ru